

ANNUAL VEHICLE INSPECTION REPORT

Motor Carrier Name:	Date:
Address:	Unit Number:
City, State, Zip Code:	License#: Vin#:
Inspector Name (Print):	Certified (<i>per 396.19</i>): Y / N (Certificate on file)

Note: All items found to be in need of repair are to be written on the attached Follow-up Worksheet. No decal can be applied until all shaded items meet standards.

Worksheet codes	<input checked="" type="checkbox"/> OK	<input type="checkbox"/> Needs Repair	<input style="width: 20px; height: 20px; border: 1px solid black;" type="checkbox"/> Shading = Appendix G required
	<input type="checkbox"/> N/A Not Applicable	<input checked="" type="checkbox"/> Repaired	

Code	Item	Code	Item
	1. BRAKE SYSTEM		4. FUEL SYSTEM
	a. Service Brakes		a. Visible leak
	b. Parking Brake System		b. Fuel tank filler cap missing
	c. Brake Drums or Rotors		c. Fuel tank securely attached
	d. Brake Hose		5. LIGHTING DEVICES
	e. Brake Tubing		All lighting devices and reflectors required by Part 393 (Sec. .9-.26) shall be operable
	f. Low Pressure Warning Device		6. SAFE LOADING
	g. Tractor Protection Valve		a. Parts of vehicle or condition of loading
	h. Air Compressor		b. Protection against shifting cargo.
	i. Electric Brakes		c. Container securement devices on intermodal equipment
	j. Hydraulic Brakes		7. STEERING MECHANISM
	k. Vacuum Brakes		a. Steering Wheel Free Play
	l. Antilock Brake System		b. Steering Column
	m. Automatic Brake Adjusters		c. Front Axle Beam and All Steering Components
	2. COUPLING DEVICES		d. Steering Gear Box
	a. Fifth Wheels		e. Pitman Arm
	b. Pintle Hooks		f. Power Steering
	c. Drawbar/Towbar Eye		d. Steering Gear Box
	d. Drawbar/Towbar Tongue		e. Pitman Arm
	e. Safety Devices		f. Power Steering
	f. Saddle-Mounts		g. Ball and Socket Joints
	3. EXHAUST SYSTEM		h. Tie Rods and Drag Links
	a. Exhaust system leaking forward of or directly below the driver/sleeper compartment		i. Nuts
	b. Bus exhaust system leaking or discharging;		j. Steering System
	1. Gasoline powered--in excess of six inches forward of rearmost		8. SUSPENSION
	2. Other than gasoline powered--in excess of fifteen inches forward of rearmost part of bus.		a. Any U-bolts, spring hangers, or other axle positioning parts cracked, broken, loose or missing resulting in shifting of an axle from its normal position.
	3. Other than gasoline powered--forward of a door or window designed to be opened.		b. Spring Assembly
	c. Exhaust system likely to burn, char, or damage the electrical wiring, fuel supply, or any combustible part of the motor vehicle.		c. Torque, Radius or Tracking Components
			9. FRAME
			a. Frame Members
			b. Tire and Wheel Clearance
			c. Adjustable Axle Assemblies (sliding Subframes)
			10. TIRE
			a. Tires on any steering axle of a power unit.
			b. All other tires
			c. Installation of speed-restricted tires unless specifically designated by motor carrier.
			11. WHEELS AND RIMS
			a. Lock or Side Ring
			b. Wheels and Rims
			c. Fasteners
			d. Welds
			12. WINDSHIELD GLAZING
			Any crack, discoloration, or vision reducing matter except: (1) Coloring or tinting applied at time of manufacture, (2) any crack over 1/4 inch wide if not intersect by another crack, (3) any damaged area not more closer than 3 inches to any other than 1/4 inch in diameter if not closer than 3 inches to any other such damaged area, (4) labels, sticker, decalomania etc. (see 393.60 for exceptions)
			13. WINDSHIELD WIPERS
			Any power unit that has an inoperative wiper or missing or damaged parts that render it ineffective
			14. MOTORCAOCH SEATS
			Any passenger seat that is not securely fastened to the vehicle structure
			Apply decal when all OK

